RODIATION PROJECTION STANDARDS AND SUBJECT AT COCAMAR ATOMIC

COUNTY

ACCUMENTATION OF THE PROJECT OF THE PROJE

COOD FAR ATOMIC CORPORATION.

PIR ETON ONIO 45641

PACHING UNDER CONTENCT DE ACUE 750ROBRESTITI THE
U.S. DEPARTMENT OF ENERGY

APPROVED FOR RELEASE BY:

mm & 2/22/20

CONTENTS

	Page
DOE Dose Limits	1
GAT Organ Burden Limits	2
Uranium Organ Burden Vs. Enrichment	3
Dosimetry Program Decision Levels	4
GAT Contamination Limits	5
GAT Tagging Limits	6
GAT Skin Contamination Guide Values	7
GAT Contamination Control Guide and Alert Values	8
ANSI Leak Test Limits for Radioactive Sources	9
GAT Medical X-ray Exposure Limits	10
Respirator Guide Values for Alpha Surface Contamination	11
Respirator Guide Values for Beta Surface Contamination	15
GAT Concentration Limits for Airborne Activity	17

PREFACE

The intent of this document is four-fold:

- 1. To document Goodyear Atomic Corporation's compliance with the "Report of UCCND-GAT Committee on Radiation Standards and Practices for Gaseous Diffusion Plants," 1981 (referred to internally as the "Three Plant Document").
- 2. To state new guidance in the areas of skin contamination, medical x-ray exposures and leak testing requirements.
- 3. To incorporate CY-1984 revisions of existing GAT radiation protection documents.
- 4. To provide radiation protection guidance to Health Physics staff and surveyors in a formal, concise format.

-ACB 1985



DOSE LIMITS

			Time Period	DOE (Rem)	PAL (Rem)
I.	Rad	diation Worker			
	Α.	Whole body, head, trunk, gonads, red bone marrow, lens of eye	Year 13 wks.	5.0 3.0	5.0 1.25
	В.	Hands	Year 13 wks	75.0 25.0	75.0 18.75
	c.	Bone	Year 13 wks	30.0 10.0	30.0 10.0
	D.	Other organs and skin	Year 13 wks	15.0 5.0	15.0 3.75
II.	Pre	egnant Worker	9 mos.	0.5ª	0.5
III.	, Mem	ber of General Public	Year	0.5	0.5

a Recommended Level

GAT CONTAMINATION LIMITS FOR ORGAN BURDEN

Material	Organ Burden Limit
Uranium (U)	
Insoluble U in the lungs	0.017 microcuries or (240 micrograms U-235)
Soluble U in the bones	0.045 microcuries or 100,000 dpm
Technetium-99 (Tc-99)	
Insoluble Tc-99 in the lungs	9 microcuries or 20 million dpm
Soluble Tc-99 in the GI tract	<pre>2.5 microcuries or 5.5 million dpm</pre>

 $^{^{\}mathbf{a}}$ The limits are provided in different units because personnel monitoring is reported in various units.

Rev. 1984

b The maximum allowable lung burden for uranium (when reported in micrograms of uranium-235) is dependent upon the assay. This value ranges from 240 to 330 micrograms U-235.

MAXIMUM PERMISSIBLE ORGAN BURDENS FOR URANIUM VERSUS ENRICHMENT

MILLIGRAMS

LUNG	BONE	KIDNEY*
29.257	86.050	8.605
6.190	18.210	1.821
3.035	8.926	0.893
2.133	6.274	0.627
1.617	4.756	0.475
1.294	3.810	0.381
1.180	3.470	0.347
1.025	3.015	0.301
0.885	2.603	0.260
0.792	2.330	0.233
0.708	2.082	0.208
0.643	1.891	0.189
0.587	1.732	0.173
0.532	1.565	0.156
0.479	1.409	0.141
0.432	1.271	0.127
0.383	1.126	0.113
0.346	1.018	0.102
0.298	0.876	0.088
0.232	0.682	0.068
	LUNG 29.257 6.190 3.035 2.133 1.617 1.294 1.180 1.025 0.885 0.792 0.708 0.643 0.587 0.532 0.479 0.432 0.383 0.346 0.298	LUNG BONE 29.257 86.050 6.190 18.210 3.035 8.926 2.133 6.274 1.617 4.756 1.294 3.810 1.180 3.470 1.025 3.015 0.885 2.603 0.792 2.330 0.708 2.082 0.643 1.891 0.587 1.732 0.532 1.565 0.479 1.409 0.432 1.271 0.383 1.126 0.346 1.018 0.298 0.876

ACB 1983

U/S/217/7-3 OP10

^{*}These organ burdens are based on radiological toxicity.

DECISION LEVELS

I. EXTERNAL EXPOSURE

Type of Exposure Flag		Derived Levels (rem) Investigate Restrict	
Whole Body	0.3/qtr	0.5/qtr	1/qtr (4/yr)
Skin	0.5/gtr	0.75/qtr	1.5/qtr (6/yr)

II. INTERNAL EXPOSURE

A. URINALYSIS

Type of Analysis		Derived Levels (dpr	n/100ml)
	Flag	Investigate	Restrict
Routine Uranium Alpha	8	16	80
Special Uranium Alpha	800	1,200	2,000
Routine Technetium Beta	5,000	20,000	60,000
Special Technetium Beta	100,000	200,000	500,000

B. IN-VIVO

Isotope	Derived Levels		
U-235 (ug)	Investigate* 100	Restrict ¹ 240	
U-238 (mg)	4	27	
Tc-99 (uCi)	1	9	

^{*} On recall count

¹ Assay and solubility classification (T 1/2 effective -- determined by least-squares analysis) will be considered in actual restriction cases.

GAT LIMITS FOR CONTAMINATION LEVELS

<u>Item</u>	Contamination Type	Alpha Activity (dpm per 100 cm²)	Beta Activity (dpm per 100 cm²)
Clean Fl∞rs	Surface Removable	1,000 200	25,000 5,000
Clothing			
 Company-issued coveralls, gloves, etc. 	N/A	1,000	200,000
2) Company-issued shoes	N/A	10,000	400,000
3) Personal clothing	N/A	200	9,000
Body Contamination	N/A	200	3,000
Hand Tools and Other Equipment	Surface Removable	1,000 200	25,000 3,000
Process Shop and PG Equipment	Surface Removable	5,000 1,000	200,000 3,000
Respiratory Equipment			
1) Inside*	Surface Removable	<pre><detectable <detectable<="" pre=""></detectable></pre>	<detectable <detectable<="" td=""></detectable>
2) Outside	Surface Removable	1,000 200	25,000 3,000
White Tag			
<pre>1) Off-plantsite shipment & surplus & salvage</pre>	Avg. Surf. Max. Surf. Removable	5,000 15,000 200	5,000 15,000 1,000
2) On-plantsite equipment to be reworked	Surface Removable	5,000 1,000	200,000 3,000
Green Tag	Surface Removable	30,000 2,000	2 million 30,000

The Ludlum Pancake detector is 12.5% efficient for beta counting.
The Ludlum Alpha Scintillation detector is 50% efficient for alpha counting.
*Contamination survey using Ludlum Pancake and Alpha Scintillation detectors.

Rev. 1984

Contamination and Penetrating Radiation Tagging Limits

Item	White Alpha	Tag*	Green Alpha	Tag* Beta	Pink Alpha	Tag@ Beta	Yellow Tag (Pen. Radiation)
Hand Tools and	s 1,000	25,000	30,000	2 Million	>30,000	>2 Million	mR
non-PG Equipment	R 200	3,000	2,000	30,000	> 2,000	>30,000	2.5 hr
Process Shop and	s 5,000	200,000	30,000	2 Million	>30,000	>2 Million	mR 2.5 hr
PG Equipment	R 1,000	3,000	2,000	30,000	> 2,000	>30,000	2.5 hr
Respiratory	s 1,000	25,000	30,000	2 Million	>30,000	>2 Million	2.5 <u>mR</u>
Equipment (outside)	R 200	3,000	2,000	30000	> 2,000	>30,000	2.5 hr

 $^{^{1}}$ All contamination limits are in dpm/100 cm 2 units

^{*} Maximum Limit.

R = Removable

S = Surface

^{@ =} Removable levels kept below 2000 dpm/100 cm² to avoid tagging where possible.

SKIN CONTAMINATION GUIDE VALUES

			Required Action:
	Alpha dpm/100 cm ² *	Beta dpm/100 cm ² *	If PAL is exceeded, decontaminate per established procedure. The patient may be released per estab-
Plant Allowable Limit	200	3000	lished procedure if decontamination efforts are unsuccessful in reducing the contamination level below PAL as long as the alert level is not exceeded.
Alert Level	5,000	50,000	If this level is exceeded, decontaminate per established procedure, contact a physician or an IHHP Staff member if contamination cannot be reduced below these levels following
		Single Control of the	routine decontamination attempts.

^{*}dpm/probe area for hand contamination, or body contamination covering areas less than 100 cm².

If contaminated area exceeds 100 cm², sum results to obtain total activity per 100 cm², to accomplish this, sum 6 Pancake readings for beta activity or 2 alpha scintillation readings for alpha activity.

If contaminated area exceeds 500 cm², contact a physician or an IHHP Staff member.

NONWORK SURFACE CONTAMINATION GUIDES AND CONTAMINATION ALERT VALUES FOR URANIUM

ZONE	GUIDES	ALERT VALUES
Contamination Control Zone	50,000 a dpm/ 100 cm ² smear, * average	5,000 a dpm/100 cm ² smear, * average
Regulated Zone	5,000 a dpm/100 cm ² smear, average	1,000 a dpm/100 cm ² smear, average
All Other Zones	1,000 a dpm/100 cm ² smear	200 a dpm/100 cm ² smear

^{*}If direct measurements are made of uranium alpha contamination, the guides and the alert values should be increased by a factor of five, since 20 percent is the generally accepted fraction of directly measured contamination which has been found to be transferable.

Alpha dpm is determined by alpha radiation survey meter calibration with plated uranium alpha radiation standards.

LEAK TEST LIMITS FOR GAT-OWNED RADIOACTIVE SOURCES

ISOTOPE MAXIMUM LEAK TEST RESULT

Ra-226 1×10^{-3} microcuries

Alpha Emitting Isotopes 5×10^{-4} microcuries Other Than Ra-226

Beta Emitting Isotopes 5×10^{-3} microcuries

MEDICAL X-RAY EXPOSURE LIMITS AT GAT

Projection	ESEG
	(milliroentgens)
Chest (P/A)	30
Skull (Lat)	300
Abdomen (A/P)	750
Cervical Spine (A/P)	250
Thoracic Spine (A/P)	900
Full Spine (A/P)	300
Lumbo-Sacral Spine (A/P)	1000
Retrograde Pyelogram (A/P)	900
Feet (D/P)	270

ALPHA RADIATION RESPIRATORY EQUIPMENT GUIDE

I. Destruction of Surface:

A. Based on Surface Reading

Range dpm	Equipment	
0< x < 5,000< x < 124,000< x < 620,000< x < 24,000,000< x < 124,000,000< x	5,000 124,000 620,000 24,000,000 124,000,000	None Half Face Full Face Airline PD-SCBA No Work

B. Based on Wipe Reading

Range dpm/	Equipment	
0< x <	(1,000	None
1,000< x <	40,000	Half Face
40,000₹ x ⋅		Full Face
200,000< x		Airline
8,000,000< x		PD-SCBA
40,000,000< x		No work

C. Based on Both Surface and Wipe: Use more restrictive.

II. Non-Dispersible Material

A. Airborne Potential High: Wipe Survey

1) Equipment R	$tange (dpm/100 cm^2)$	Equipment
0< x < 3,000≤ x < 40,000≤ x < 200,000≤ x < 8,000,000≤ x < 40,000,000≤ x	3,000 40,000 200,000 8,000,000 40,000,000	None Half Face Full Face Airline PD-SCBA No work
2) Floor Range	e (dpm/100 cm ²)	Equipment
0< x < 10,000< x < 132,000< x < 660,000< x < 26,000,000< x < 132,000,000< x		None Half Face Full Face Airline PD-SCBA No Work

Rev. 1984

B. Airborne Potential Low: Wipe Survey

1) Equipment R	ange (dpm/100 cm²)	Equipment
0< x <	15,000	None
15,000< x <	200,000	Half Face
200,000₹ x ⊀	1,000,000	Full Face
1,000,000 < x <	40,000,000	Airline
40,000,000< x <	200,000,000	PD-SCBA
200,000,000₹ x		No work
Contract of the Contract of th		
2) Floor Range	$(dpm/100 cm^2)$	Equipment
2) Floor Range	(dpm/100 cm ²)	<u>Equipment</u> None
		as an earliest recommendation of the contraction of
0< x < 50,000 <u><</u> x <	50,000	None
0< x < 50,000< x <	50,000 660,000 3,200,000	None Half Face
0< x < 50,000≤ x < 660,000< x <	50,000 660,000 3,200,000	None Half Face Full Face

- III. Readily Dispersible or Unknown Material
 - A. Airborne Potential High

1) Equipment	Range (dpm/100 cm²)	Equipment
0< x	1,000	None
1,000< x	13,200	Half Face
13,200₹ x ·	66,000	Full Face
66,000₹ x ⋅	2,600,000	Airline
2,600,000< x	< 13,200,000	PD-SCBA
13,200,000₹ x		No work
2) Floor Rang	ge (dpm/100 cm ²)	Equipment
0< x <	2,000	None
2,000< x	. 20 000	Half Face
	26,000	natt race
26,000< x		Full Face
	132,000	
26,000< x	132,000 5,200,000	Full Face

B. Airborne Potential Low

1) Equipment	Range (dpm/100 cm²)	Equipment
0< x <	3,000	None
3,000< x <	40,000	Half Face
40,000₹ x <	200,000	Full Face
200,000< x <	8,000,000	Airline
8,000,000₹ x <	40,000,000	PD-SCBA
40,000,000< x		No work
2) Floor Rang	$ge (dpm/100 cm^2)$	Equipment
0< x <	10,000	None
10,000< x <	132,000	Half Face
132,000₹ x <	660,000	Full Face
660,000₹ x ∢	26,000,000	Airline
26,000,000₹ x <	132,000,000	PD-SCBA
132,000,000₹ x		No Work

RESPIRATOR GUIDELINE BASED ON WIPE CONTAMINATION RANGES FOR TECHNETIUM AND URANIUM DAUGHTER BETA EMITTERS

Airborne Probability	dpm 2 100 cm 2	0-40,000	40,000-100,000	100,000-400,000	400,000-600,000
Low	Non-Readily Dispersible	None	None	None	None
	Readily Dispersible	None	None	Half-face	Half-face
High	Non-Readily Dispersible	None	None	Half-face	Half-face
	Readily Dispersible	None	Half-face	Half-face	Full-face
Destruction of Surface		None	Half-face	Half-faœ	Half-face
	applikassensesten och karding sinde sen navnende vorte enemende och mindstyren till kardine				
Airborne Probability	100 cm ²	600,000- 1,000,000	1,000,000- 10,000,000	10,000,000- 30,000,000	30,000,000
Low	Non-Readily Dispersible	Half-face	Half-face	 Half-face 	Contact IHHP
	Readily Dispersible	Half-face	Full-face	Full-face	Contact IHHP
High	Non-Readily Dispersible	Full-face	Full-face	Full-face	Contact IHHP
nigii	Readily Dispersible	Full-face	Full-face	Contact IHHP	Contact IHHP
Destruction		Half-face	Full-face	Contact IHHP	Contact

SURFACE LIMIT = WIPE LIMIT X 5

U/S/217/7-3 OP10

Airborne Probability: High airborne probability refers to any job activity which tends to significantly alter normal air currents to such a degree that removable contamination can be redispersed into the air resulting in an inhalation hazard; such job activities include, but are not limited to, sweeping, removing housing and using pneumatic tools. Low airborne probabilty refers to any job activity which does not greatly alter normal air currents such as, but not limited to, turning valves, wet decontamination, handling, motor aligning, and using hand tools, reading gauges, etc. Jobs which do not encourage resuspension of radioactive contamination may be performed without the use of respirators.

Dispersibility of Material: Readily dispersible material refers to any material whose physical and/or chemical state increases the probability of resuspension by disturbing normal air currents due to its light and/or powdery nature (light particles). Examples of highly dispersible material are post-release material, dust, oxide, floor sweepings, etc.

Destruction of Surface: Destruction of Surface refers to any task which will alter the physical state of contaminant or equipment such as, but not limited to, burning, drilling, cutting, heating, welding, grinding, burnishing, machining.

CONTAMINATION LIMITS FOR AIRBORNE CONCENTRATIONS

	LIMIT (dpm/	′ft ³)
SOURCE	URANIUM	TECHNETIUM
DOE limit for soluble material — based on toxicological properties for uranium	4	125,000
DOE limit for insoluble material	6	3,800
GAT's Plant Allowable Limit	3	1,900

TR-022885-LDB

Y. Y. Thomas

U/S/217/7-3

OP10

APPROVED FOR RELEASE BY:

mme 3/33/00